Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attomey's Docket N . 06816/017003	Application No.
Inf rmation Disclosure Statement by Applicant		Applicant Eric R. Fossum, et al.	
(Use several:	sheets if n cessary)	Filing Date June 27, 2000	Group Art Unit

				U.S. Pate	nt Documents			
Exan		Desig. ID	Patent Number	Issue Date	Patentee	Class	Subclass	Filing Date If Appropriate
P	Y	AA	5,608,204	Mar. 4, 1997	Höfflinger et al.			
		AB	5,262,871	Nov.: 16, 1993	Wilder et al.			
		AC	5,225,696	Jul. 6, 1993	Bahraman ·	· ·		;
		AD	5,134,488	Jul, 28, 1992	Sauer			
		AE	4,631,400	Dec. 23. 1986	Tanner et al.			
		AF	5,097,339	Mar. 17, 1992	Ishida et al.			
		AG	4,942,474	Jul. 17, 1990	Akimoto et al.).
		AH	4,660,090	Apr. 21, 1987	Hynecek			7
		Al	4,839,729	Jun. 13, 1989	Ando et al.			
		AJ	5,471,515	Nov. 28, 1995	Fossum et al.	7		
-		AK	5,541,402	Jul. 30, 1996	Ackland et al.	(-		<u> </u>
		AL	4,959,727	Sep. 25, 1990	Imaide et al.			
		AM	4,835,617	May 30, 1989	Todaka et al.	-		
		AN	5,452,004	Sep. 19, 1995	Roberts			
	1	AO	4,839,735	Jun. 13, 1989	Kyomasu et al.			
		AP	5,420,634	May 30, 1995	Matsumoto	•		
		AQ	5,317,174	May 31, 1994	Hynecek			
		AR	5,182,623	Jan. 26, 1993	Hynecek			
		AS	5,335,015	Aug. 2, 1994	Cooper et al.	1		
	1	AT	5,341,008	Aug. 23, 1994	Hynecek			,
		AU	5,369,039	Nov. 29, 1994	Hynecek ·			
		AV	5,424,223	Jun. 13, 1995	Hynecek			
		AW	5,436,476	Jul. 25, 1995	Hynecek			
		AX	5,471,245	Nov. 28, 1995	Cooper et al.		1	
		AY	5,652,622	Jul. 29, 1997	Hynecek		7	
	17	AZ	4,363,963	Dec. 14, 1982	Ando			
	V ,	AAA	4,525,742	Jun. 25, 1985	Nishizawa et al.			1.
	/-	A	<u> </u>		L			

<i>111 il</i>	
Examina Signature / A	Dat Consid red
	2/2/05
John Wal	700
	
EXAMINER: Initials distion considered. Draw line through citation if n	of in conformance and not considered. Include copy of this form with
next communication to applicant.	•
THE REPORT OF THE PARTY OF THE	

Substitute Disclosure Form (PTO-1449)





Sheet 2 of 6

	Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Petent and Trademark Office	Attorney's Docket No. 06816/017003	Application No.	
	Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Eric R. Fossum. et al.		
			Filing Oats June 27, 2000	Group Art Unit	

Foreign Patent Documents or Published Foreign Patent Applications								
Examiner	Desig.	Document	Publication	Country or				lation
Initial	ID	Number	· Date	Patent Office	Class	Subclass	Yes	No
	ABB				1			

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner	Desig.	
Initial	ID	Document
PM ACC		S. Chamberlain, "Photosensitivity and Scanning of Silicon Image Detector Arrays," IEEE J. Solid State Circuits, Vol. SC-4, No. 6, pp. 333-342 (December 1969)
	ADD	M. Aoki, et al., "2/3 Inch Format MOS Single-Chip Color Imager," IEEE Trans. On Electron Devices, Vol. ED-29, No. 4, pp. 745-750 (April 1982)
	AEE	J. Hynecek, "A New Device Architecture Suitable for High-Resolution and High-Performance Image Sensors," IEEE Trans. on Electron Devices, Vol. 35(5), pp. 646-652 (May 1988)
	AFF	F. Andoh, et al., "A 250,000-Pixel Image Sensor with FET Amplification at Each Pixel for High- Speed Television Cameras," 1990 IEEE International Solid-State Circuits Conference, Digest of Technical Papers, pp. 212-213 (February 16, 1990)
	AGG	N. Tanaka, et al., "A 310K Pixel Bipolar Imager (BASIS)," IEEE Trans. On Electron Devices, Vol. 37(4), pp. 964-971 (April 1990)
	АНН	K. Chen, et al., "PASIC: A Processor-A/D converter-Sensor Integrated Circuit," IEEE ISCAS, pp. 1705-1708 (1990)
	All	O. Yadid-Pechs, et al., "A Random Access Photodiode Array for Intelligent Image Capture," IEEE Trans. on Electron Devices, Vol. 38, No. 8, pp. 1772-1780 (August 1991)
	AJJ	M. Kyomasu, "A New MOS Imager Using Photodiode as Current Source," IEEE Journal of Solid State Circuits, Vol. 26, No. 8, pp. 1116-1122 (August 1991)
	AKK	R. Forchheimer, et al., "MAPP2200 - A Second generation smart optical sensor," Proc. SPIE, Vol. 1659, pp. 2-11 (1992)
	ALL	C. Jansson, et al., "An Addressable 256 x 256 Photodiode Image Sensor Array with an 8-Bit Digital Output," Analog Integrated Circuits and Signal Processing, Vol. 4, pp. 37-49 (1993)
	AMM	H. Kawashima, et al., "A 1/4 Inch Format 250K Pixel Amplified MOS Image Sensor Using CMOS Process," IEEE IEDM Tech. Digest, pp. 22.4.1-22.4.4 (1993)
	ANN	S. Mendis, et al., "Design of a Low-Light-Level Image Sensor with On-chip Sigma-Delta Analog- to-Digital Conversion," SPIE, Charge Coupled Devices & Solid State Optical Sensors III, Vol. 1900, pp. 31-39 (1993)
	AOO	M. Sugawara, et al., "An Amplified MOS Imager Suited for Image Processing," 1994 IEEE International Solid-State Circuits Conference, Digest of Technical Papers, Session 13, Neural Networks and Image Sensors/ Paper TP 13.6, pp. 228-229 (1994)
	APP	B. Fowler, et al., "A CMOS Area Image Sensors with Pixel-Level A/D Conversion," 1994 IEEE International Solid-State Circuits Conference, Digest of Technical Papers, Neural Networks and Image Sensors/ Paper TP 13.5, pp. 226-227 (1994)
	AQQ	B. Pain, et al., "Approaches and analysis for on-focal-plane analog-to-digital conversion," Proc. SPIE, Vol. 2226, pp. 208-218 (1994)
	ARR	A. Gruss, et al., "Integrated Sensor and Range-Finding Analog Signal Processor," IEEE Journal of Solid State Circuits, Vol. 26, No. 3, pp. 184-191 (March 1991)
\bigcup	ASSY	Renshaw, et al., "ASIC Image Sensors," Proc. IEEE ISCAS, pp. 3038-3041 (1990)
Examiner Sig	10/1	Date Considered 2/3/06 Date Considered 2/3/06 Date Considered Date Considered 2/3/06
EXAMINER:	Initials citati	on considered. Draw line through citation if not in conformance and not considered, include copy of this form with

next communication to applicant





Sheet <u>3</u> of <u>6</u>

Substitute Form PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office		Attorney's Docket No. Application No. –		
Information Disclosure Statement by Applicant		Applicant Eric R. Fossum, et al.		
(Use several a	sheets if necessary)	Filing Date June 27, 2000	Group Art Unit	

(ocuments (include Author, Title, Date, and Place of Publication)
Examiner Injital	Desig. ID_	Document
M	ATT	O. Vellacott, "CMOS in camera," IEE Review, pp. 111-114 (May 1994)
	AUU	I. Muirhead, "Developments in CMOS Camera Technology," published by: LEE, Savoy Place, London WC2R 0BL, UK, pp. 5/1-5/4 (1994)
	AVV	I. Takayanagi, et al., "A Multiple Output CMD Imager for Real-Time Image Processing," IEEE, IEOM, pp. 22.5.1-22.5.4 (1993)
	AWW	M. White, et al., "Characterization of Surface Channel CCD Image Arrays at Low Light Levels," IEEE Journal of Solid-State Circuits, Vol. SC-9, No. 1, pp. 1-13 (February 1974)
	AXX	W. Yang, et al., "A full-fill factor CCD imager with integrated signal processors," IEEE International Solid-State Circuits Conference Digast of Technical Papers," pp. 218-219 and 500 (February 16, 1990)
	AYY	R. Forchheimer. "Single-chip image sensors with a digital processor array," Journal of VLSI Signal
	AZZ	E. Fossum, et al., "Development of CMOS Active Pixel Image Sensors for Low Cost Commercial Applications," Conference Proceedings of NASA Technology 2004, pp. 1-2 (November 1994)
	AAAA	E. Fossum, et al., "Application of the active pixel sensor concept to guidance and navigation," SPIE, Vol. 1949. Space Guidance. Control and Tracking, paper 30, pp. 1-8 (1993)
	ABBB	E. Fossum, "Assessment of Image Sensor Technology for Future NASA Missions," Proceedings of the SPIE, Vol. 2172, Charge-Coupled Devices and Solid-State Optical Sensors IV, pp. 1-16 (1994)
	ACCC	T. Kurlyama, et al., "A 1/3-in 270 000 Pixel CCD Image Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 949-953 (May 1991)
	ADDD	994-959 (May 1991)
	AEEE	H. Ando, et al., "A 1/2-in CCD Imager with Lateral Overflow-Gate Shutter," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 960-964 (May 1991)
	AFFF	A. Toyoda, et al., "A Novel Tungsten Light-Shield Structure for High-Density CCD Image Sensors," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 965-968 (May 1991)
	AGGG	T. Ozaki, et al., "A Low-Noise Line-Amplified MOS Imaging Devices," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 969-975 (May 1991)
	АНН	M. Yamagishi, et al., "A 2 Million Pixel FIT-CCD Image Sensor for HDTV Camera Systems," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 976-980 (May 1991)
	AIII	E. Stevens, et al., "A 1-Megapixel, Progressive-Scan Image Sensor with Antiblooming Control and Lag-Free Operation," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors, "Vol. 38, No. 5, pp. 981-988 (May 1991)
	AJJ	K. Matsumoto, et al., "The Operation Mechanism of a Charge Modulation Device (CMD) Image Sensor," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. / 38, No. 5, pp. 989-998 (May 1991)

// // //				
Examiner Signature	1	Date Considered		
V(1) (1)		1 1	2012/12	
Total				John form with
	ered. Draw line through crattor	ductin Conformance and i	not considered, include copy o	t free fourt me.
next communication to applicant.				

PAGE 4/7 * RCVD AT 8/5/2005 7:57:52 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-6/26 * DNIS:2738300 * CSID:1 858 678 5099 * DURATION (mm-ss):03-28





Sheet 4 of 6

Substitute Form PTO-1449 (Modified)	U.S. Department of Commarce Patent and Trademark Office	Attorney's Docket No. 06816/017003	Application No.	
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Eric R. Fossum, et al.		
		Filing Date June 27, 2000	Group Art Unit	

	Other Do	ocuments (Include Author, Title, Date, and Place of Publication)
Examiner	Desig.	O
Initial	1D	Document
0		K. Matsumoto, et al., "Analysis of Operational Speed and Scaling Down the Pixel Size of a Charge
Fa	AKKK	Modulation Device (CMD) Image Sensor," IEEE Transaction on Electron Devices, Special Issue on
0.40		Solid State Image Sensors," Vol. 38, No. 5, pp. 999-1004 (May 1991)
	ALLL	M. Ogata, "A Small Pixel CMD Image Sensor," IEEE Transaction on Electron Devices, Special
		Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1005-1010 (May 1991) Hynecek, "BCMD - An Improved Photosita Structure for High-Density Image Sensors," IEEE
	AMMM	Transactions on Electron Devices, Vol., 38(5), pp. 1011-1020 (May 1991)
	ļ	T. Mizoguchi, et al., "A 250 k-Pixel SIT Image Sensor Operating in its High-Sensitivity Mode."
1 1		IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors." Vol. 38. No. 5.
1 1	ANNN	pp. 1021-1027 (May 1991)
		Y. Nakamura, et al., "Design of Bipolar Imaging Device (BASIS)," IEEE Transaction on Electron
	A000	Devices, Special Issus on Solid State Image Sensors," Vol. 38, No. 5, pp. 1028-1036 (May 1991)
		M. Miyawaki, et al. "Reduction of Fixed-Pattern Noise of BASIS Due to Low Kinetic Energy-
1		Reactive Ion to Low Kinetic Energy Reactive Ion and Native-Oxide-Free Processing," IEEE
1	APPP	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
		1037-1043 (May 1991)
		Y. Marsunaga et al., "A High-Sensitivity MOS Photo-Transistor for Area Image Sensor," IEEE
	AQQQ	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
		1044-1047 (May 1991)
		N. Mutch: et al., "New Low-Noise Output Amplifier for High-Definition CCD Image Sensor," IEEE
1 1	ARRR	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
		1048-10551 (May 1991)
	1	M. Tabel, et al., "A New CCD Architecture of High-Resolution and Sensitivity for Color Digital
1 1	ASSS	Still Picture," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors,"
	 	Vol. 38, No. 5, pp. 1052-1058 (May 1991) J. Bosiers, et al., "A 2/3-in 1187(H) x 581(V) S-VHS-Compatible Frame-Transfer CCD for ESP and
		Movie Mode," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors,"
1 1	ATTT	Vol. 38, No. 5, pp. 1059-1068 (May 1991)
 	 	B. Burke, "An Abunable CCD Imager for Visible and X-Ray Focal Plane Arrays," IEEE
1 1	AUUU	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.
1 1	AUUU	1069-1076 (May 1991)
 	+	E. Garcia, "CCD Arrays for Readout of Electrophotographic Latent Images," IEEE Transaction on
1 1	AVVV	Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1027-1085 (May
1 1	"""	1991)
 	·	T. Kaneko, et al. "400 dpi Integrated Contact Type Linear Image Sensors with Poly-Si TFT's
	AWWW	Analog Readout Circuits and Dynamic Shift Registers," IEEE Transaction on Electron Devices,
		Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1086-1093 (May 1991)
 		C.K. Chen, et al., "Ultraviolet, Visible, and Infrared Response of PtSi Schottky-Barrier Detectors
1 1	AXXX	Operated in the Front-Illuminated Mode," IEEE Transaction on Electron Devices, Special Issue on
		Solid State Image Sensors," Vol. 38, No. 5, pp. 1094-1103 (May 1991)
		R. B. Bailey, et al., "256 x 256 Hybrid HgCdTe Infrared Focal Plane Arrays," IEEE Transaction on
1 1 /	AYYY	
1 1/		(1991),

/	/		
Exeminer Signature /	V 11 - V 2	Date Considered //	
	John Alme - 1	2/12/10	
1		117106	
CVALANTED Indian citate	on crineisteens Ormer line through citation if not	un conformance and rist considered, include copy of this form	WILD
EXAMINETE HUMBS CHEM	Le-		





Sheet <u>5</u> of <u>6</u>

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Altomey's Docket No. 06816/017003	Application No.
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Eric R. Fossum, et al.	·
		Filing Date June 27, 2000	Group Art Unit

(Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner	Desig.	·		
Initial	ID]	Document		
7.0		H. Zogg, et al., "Infrared Sensor Arrays with 3-12 µm Cutoff Wavelengths in Heteroepitaxial		
PB	AZZZ	Narrow-Gap Semiconductor on Silicon Substrates," IEEE Transaction on Electron Devices, Special		
\mathcal{D}		Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1110-1117 (May 1991)		
(C. G. Bethea, et al., 10-µm GaAs / AlGaAs Multiquantum Well Scanned Array Infrared Imaging		
1	AAAAA	Camera," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol.		
		38, No. 5, pp. 1118-1123 (May 1991) L. J. Kozłowski, et al., "LWIR 128 x 128 GaAs / AlGaAs Multiple Quantum Well Hybrid Focal		
1	ADDDD	Plane Array," IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors,"		
1	ADDED	Vol. 38, No. 5, pp. 1124-1130 (May 1991)		
		M. Denda, et al., "4-Band x 4096-Element Schottky-Barrier Infrared Linear Image Sensor," IEEE		
1	ACCCC	Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp.		
\	ACCCC	1131-1135 (May 1991)		
		S. Tohyama, et al., "A New Concept Silicon Homojunction Infrared Sensor," IEEE Transaction on		
1	ADDDD	Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1136-1140 (May		
/		1991)		
		T-L Lin, et al., "SiGe / Si Heterojunction Internal Photoemission Long-Wavelength Infrared		
	AEEEE			
		Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1141-1144 (May 1991)		
•		M. Okuyama, et al., "Room-Temperature-Operated Infrared Image CCD Sensor Using Pyroelectric		
!	AFFFF	Gate Coupled by Dielectric Connector," IEEE Transaction on Electron Devices, Special Issue on		
	<u> </u>	Solid State Image Sensors." Vol. 38, No. 5, pp. 1145-1151 (May 1991)		
1 1		J.O.C. Bakker, "Simple Analytical Expressions for the Fringing Field and Fringing-Field-Induced Transfer Time in Charge-Coupled Devices," IEEE Transaction on Electron Devices, Special Issue		
1 1	AGGGG	on Solid State Image Sensors," Vol. 38, No. 5, pp. 1152-1161 (May 1991)		
	 	E. K. Banghart, et al., "A Model for Charge Transfer in Buried-Channel Charge-Couple Devices at		
	АНННЫ	Low Temperature," IEEE Transaction on Electron Devices, Special Issue on Solid State Image		
1 1		Sensors," Vol. 38, No. 5, pp. 1162-1174 (May 1991)		
		C. R. Hoople, et al, "Characteristics of Submicrometer Gaps in Buried-Channel CCD Structures,"		
1 1	ALITI	IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5,		
		pp. 1175-1181 (May 1991)		
		E.R. Fossum, et al., "Two-Dimesional Electron Gas Charge-Coupled Devices (2DEG-CCD's),"		
1 \	IIIIA	IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5,		
		pp. 1182-1192 (May 1991)		
	AKKKK	J.G.C. Bakker, et al, "The Tacking CCD: A New CCD Concept," IEEE Transaction on Electron		
	- Alexan	Dedices' 2 becast from on 2014 24th thinks 2 cusous' Apr. 29' Mor 2' bb. 1122-1500 (14th A 1221)		
		S. Takayama, et al., "A Dynamic Model of an a-Si:H Photoconductive Sensor," IEEE Transaction		
	ALLLL			
		(May 1991)		
1		P. Centen, "CCD On-Chip Amplifiers: Noise Performance versus MOS Transistor Dimensions,"		
1	AMMM	IEEE Transaction on Electron Devices, Special Issue on Solid State Image Sensors," Vol. 38, No. 5,		
	 	pp. 1206-1216 (May 1991) N. Ozawa, et al., "A Correlative Coefficient Multiplying (CCM) Method for Chrominance Moire		
1	ANNIN			
1 1/	17/17	Issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1217-1225 (May 1991)		
Examiner Sig	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	b// / Daie Considered / /		
	The Table	1/2/1/		
	/ JUNI	on considered. Draw the through citation if not in conformance and not considered, include copy of this form with		
next commun				





Sheet <u>6</u> of <u>6</u>

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No	Application No.
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Eric R. Fossum, et al.	·
		Filing Date June 27, 2000	Group Art Unit .

Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner Initial	Desig. ID	Document	
PP	A0000	Devices, Special issue on Solid State Image Sensors," Vol. 38, No. 5, pp. 1226-1232 (May 1991)	
Ĭ	APPPP	P. Noble, "Self-Scanned Silicon Image Detector Arrays," IEEE Trans. on Electron Devices. Vol. ED-15, No. 4, pp. 202-209 (April 1968)	
	AQQQQ	Vol. ED-20 (12), pp. 1770-1777 (December 1777)	
	ARRRR	K. Matsumoto, et al., "A New MOS Phototransistor Operating in a Non-Destructive Readout Mode," Jpn. J. Appl. Phys., Vol. 24, No. 5, pp. L323-L325 (1985)	
	ASSSS	H. Ando, et al., "Design Consideration and Performance of a New MOS Imaging Device," IEEE Trans. on Electron Devices, Vol. ED-32, No. 8, pp. 1484-1489 (August 1985)	
	ATTT	T. Nakamura, et al., "A New MOS Image Sensor Operating in a Non-Destructive Readout Mode," IEDM Tech. Dig., pp. 353-356 (1986)	
	Αυυυυ	A. Yusa, et al., "SIT Image Sensor: Design Considerations and Characteristics" IEEE Trans. on Electron Devices, Vol. ED-33, No. 6, pp. 735-742 (June 1986)	
	AVVVV	N. Tanaka, et al., "A Novel Bipolar Imagine Device with Self-Noise-Reduction Capability," IEEE Trans. on Electron Devices, Vol. 36(1), pp. 31-38 (January 1989)	
	AWWW	Z. Huang, et al., "A Novel Amplified Image Sensor with a-Si:H Photoconductor and MOS Transistor," IEEE Trans. on Electron Devices, Vol. 37, No. 6, pp. 1432-1438 (June 1990)	
	AXXXX	Y. Nakamura, et al., "Design of Bipolar Imaging Devices (BASIS): Analysis of Random Noise," IEEE Trans. on Electron Devices, Vol. 39(6), pp. 1341-1349 (June 1992)	
	AYYYY	1993)	
	AZZZZ	S. Mendis, et al., "A 128 x 128 CMOS Active Pixel Image Sensor for Highly Integrated Imaging Systems," Proc. of the 1993 IEEE International Electron Devices Meeting, pp. 583-586 (1993)	
	AAAAA	S. Mendis, et al., "Progress in CMOS Active Pixel Image Sensors," Proc. SPIE, Vol. 2172, pp. 19-29 (1994)	
	ABBBB	 Mendis, et al., "CMOS Active Pixel Image Sensor," IEEE Trans. on Electron Devices, Vol. 41, No. 3, pp. 452-453 (March 1994) 	
0 /	ACCCC	T. Kinugasa, et al., "An Electronic Variable-Shutter System in Video Camera Use," IEEE Transactions on Consumer Electronics, Vol. CE-33, No. 3, pp. 249-255 (1987)	
(V)	ADDDD	S. Mendis, et al., "CMOS Active Pixel Image Sensor," Citation Unknown, pp. 1-7 (July 1993)	

// / - /				
Examiner Signature	Date Considered			
Willy Am	2/13/00			
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not completed. Include copy of this form with next communication to applicant.				
THE ALCOHOLOGICAL TOP AND THE PROPERTY OF THE	Substitute Disclosure Form (PTO-1449)			